

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23463

Stream : Clear Creek

Applicant : City of Richmond
Robert Wiwi, PE
2380 Liberty Avenue
Richmond, IN 47374-7282

Description : Approximately 500' of the creek's eroded streambank will be stabilized with riprap placed over a geotextile fabric, gabions, and/or slopetame2 to protect the bank from further erosion. The riprap will be keyed into the streambed at its base and will conform to the existing at the project limits. It will have a maximum height of approximately 6' and maximum side slope of 2:1. Details of the project are contained in information and plans received at the Division of Water on July 25, 2005, August 12, 2005 and August 16, 2005.

Location : NW N Street; beginning 175' downstream of the Norfolk and Western railroad and continuing downstream approximately 500'
DOWNSTREAM: near Richmond, Wayne Township, Wayne County
N½, SE¼, Section 25, T 14N, R 2W, Richmond Quadrangle
Quad Code: 3908478
UTM Coordinates: Downstream 4412635 North, 677280 East
UPSTREAM:
UTM Coordinates: Upstream 4412723 North, 677170 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23482

Stream : McCracken Creek

Applicant : C.P. Morgan Communities, L.P.
Craig Aylworth
4670 Haven Point Boulevard
Indianapolis, IN 46280-2747

Description : A new residential development, Homestead, Section 1 proposes the following work within the floodway of McCracken Creek: 1) A 16" water line polybore for main extension. 2) A 12" inch RCP (reinforced concrete pipe) drainage outlet pipe with 9 square yards of rip-rap at the end section for energy dissipation. 3) An 18" RCP drainage outlet pipe with 18 square yards of rip-rap at the end section for energy dissipation. 4) A 4" underdrain outlet with 1 square yard of rip-rap at the end for energy dissipation for sub-surface drainage only. (Not regular conveyance of stormwater runoff). 5) An 8' wide asphalt multi-use path at grade approximately 830' in length. 6) A portion of a basketball court and goal at grade. 7) A portion of a big wheel course at grade. 8) A portion of a playground at grade. Details of the project are contained in information received electronically at the Division of Water on August 5, 2005 and in plans and information received at the Division of Water on August 10, 2005.

Location : In the right overbank beginning approximately 1325' west and 2225' south of the intersection of State Road 39 and County Line Road extending downstream about 1400'
DOWNSTREAM: near Monrovia, Monroe Township, Morgan County
W½, W½, Section 1, T 13N, R 1W, Mooresville West Quadrangle
Quad Code: 3908654
UTM Coordinates: Downstream 4382906 North, 544543 East
UPSTREAM:
UTM Coordinates: Upstream 4382672 North, 544294 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23483

Stream : Mississinewa River

Applicant : *Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street
IGC-South, Room W273
Indianapolis, IN 46204-2781

Description : A 100' by 15' by 6" concrete boat ramp will be constructed along left riverbank. Approximately 32' of the ramp will extend into the river. A total of 40 tons of 12" riprap will be used for a ramp base and riverbank erosion control with approximately 25 tons being below the ordinary high water mark. A 12' by 6' barrier free transfer platform will be constructed at the upper west side of the ramp and will be connected to an accessible 16' wide by 30' long, by 6" thick parking pad. A 175' by 100' gravel parking area will be constructed at grade along and to the north of Front Street. In addition, a 66' by 132' ramp approach area with additional parking will be constructed south of the ramp. Details of the project are contained in information and plans received at the Division of Water on August 8, 2005.

Location : At the northwest corner of the Front Street and Fourth Street intersection
at Matthews, Jefferson Township, Grant County
NE¼, SE¼, NE¼, Section 3, T 22N, R 9E, Hartford City West Quadrangle
Quad Code: 4008544
UTM Coordinates: Downstream 4471829 North, 628520 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23484

Stream : Grice Ditch

Applicant : Marlin Schmucker
13404 Doty Road
New Haven, IN 46774-9453

Description : A new bridge will be constructed over the stream to carry a residential access drive across the stream. The new structure will be a single-span concrete box beam bridge with a span length of 40'. Details of the project are contained in information and plans received at the Division of Water on August 9, 2005.

Location : 13115 Irving Road, approximately 2000' upstream of the Irving Road stream crossing
near Milan, Milan Township, Allen County
SE¼, SW¼, SE¼, Section 17, T 31N, R 14E, Grabill Quadrangle
Quad Code: 4108428
UTM Coordinates: Downstream 4555867 North, 670108 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23485

Stream : Clear Creek

Applicant : *Indiana Department of Transportation
Carole Korbly Scott
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2249

Description : The existing prestressed concrete box beam bridge carrying U.S. 40 over Clear Creek will be replaced with a new structure on essentially the same alignment to improve traffic flow. The new structure will be a single span composite concrete beam bridge with a span length of 103' 6". The structure will have an out-to-out length of 106' and a clear roadway width of 66' 2". The spill through abutments will have 2:1 side slopes armored with limestone riprap placed over geotextile fabric. The abutments and piers will be skewed 0 degrees to align with the streamflow. The approach roads will be lowered a maximum of 1' below existing grade. The existing structure will be completely removed. The project is federally funded. Details of the project are contained in information and plans received at the Division of Water on August 10, 2005.

Location : U S Highway 40 stream crossing; approximately 1300' south of West Main Street and approximately 100' east of 13th Street
DOWNSTREAM: near Richmond, Wayne Township, Wayne County
N½, NW¼, Section 6, T 13N, R 1W, Richmond Quadrangle
Quad Code: 3908478
UTM Coordinates: Downstream 4410275 North, 678000 East
UPSTREAM: Wayne County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23486

Stream : Ohio River

Applicant : Donald Maas
Eldena Maas
502 Erin Drive
Jeffersonville, IN 47130-5293

Description : An existing one-story house will be replaced with a new residence. The new structure will be elevated above the 100-year frequency flood elevation. Details of the project are contained in information received electronically at the Division of Water on August 11, 2005.

Location : Along the right (west) overbank, Part of Lot 274 of Oliver's Addition, at river mile 596.0
at Utica, Utica Township, Clark County
Clark Military Grant #7, Jeffersonville, IN-KY Quadrangle
Quad Code: 3808536
UTM Coordinates: Downstream 4243183 North, 617796 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23487

Stream : Crooked Creek

Applicant : Hamilton County Commissioners
Jim Neal, PE
1700 South Tenth Street
Noblesville, IN 46060-3835

Description : The existing 62' long twin corrugated 52" pipes carrying 96th Street over the stream will be replaced with a new structure on essentially the same alignment. The new structure will be a 12' x 6' reinforced box culvert. In addition, the existing 49' long twin corrugated pipes under Shelbourne Road, which empty into Crooked Creek, will be replaced with a proposed 8' x 4' reinforced box culvert. For both culverts, riprap over geotextiles will be placed for scour protection. Details of the project are contained in information and plans received at the Division of Water on August 11, 2005.

Location : At the 96th Street stream crossing
near Carmel, Clay Township, Hamilton County
SE¼, SE¼, SE¼, Section 7, T 17N, R 3E, Carmel Quadrangle
Quad Code: 3908682
UTM Coordinates: Downstream 4419652 North, 566396 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23488

Stream : Maumee River

Applicant : S & S Investments
Ben Schmucker
12808 Parent Road
New Haven, IN 46774-9780

Description : A stormwater outfall structure will be constructed along the south left bank of the river to provide stormwater removal for a new 26 lot residential subdivision located landward of the floodway. An 18" HDPE outfall pipe will be buried to a depth of 9' in the floodplain. The 1750' long pipe will carry stormwater from the basin area to the creek. The pipe will terminate with a concrete headwall with an energy dissipator. The dissipator will consist of 27 cubic yards of riprap over a geotextile filter fabric. Details of the project are contained in information and plans received at the Division of Water on August 11, 2005.

Location : At the south bank of Maumee River approximately 2400' upstream of the Wilbur ditch stream crossing
near Harlan, Milan Township, Allen County
W½, E½, SW¼, Section 23, T 31N, R 14E, Grabill Quadrangle
Quad Code: 4108428
UTM Coordinates: Downstream 4555041 North, 674572 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23489

Stream : Cow Creek

Applicant : Town of Roanoke
Paul E Swain
PO Box 328
Roanoke, IN 46783-0328

Description : Fill will be placed in approximately 250' of the floodway to elevate the intersection of First Street and Seminary Street as a flood control project. Details of the project are contained in information and plans received at the Division of Water on August 11, 2005.

Location : immediately north of the Seminary Street stream crossing and extending north approximately 350' and east 450' along First Street to Main Street
near Roanoke, Jackson Township, Huntington County
SE¼, SE¼, SE¼, Section 15, T 29N, R 10E, Huntington Quadrangle
Quad Code: 4008584
UTM Coordinates: Downstream 4535457 North, 636755 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-23490

Stream : Ohio River

Applicant : Bruce A Cunningham
PO Box 308
New Middletown, IN 47160

Description : Approximately 225' of river's eroded bank will be stabilized with riprap to protect the bank from further erosion. All debris and vegetation will be cleared from the bank. The bank will then be excavated and graded to a slope no steeper than 1.5:1. Riprap will then be placed on the newly graded slope. Details of the project are contained in information and plans received at the Division of Water on August 11, 2005.

Location : Along the right (west) overbank, at river mile 636.4
near Laconia, Boone Township, Harrison County
SE¼, SW¼, SE¼, Section 23, T 6S, R 4E, Rock Haven, KY-IN Quadrangle
Quad Code: 3708681
UTM Coordinates: Downstream 4202258 North, 584818 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23491

Stream : Spy Run Creek

Applicant : City of Fort Wayne
Mike Thornson
One East Main Street Room 480
Fort Wayne, IN 46802-1804

Description : The proposed project consists of pond improvements to the Cross Creek Commons Pond. The pond is located on the east side of Spy Run Creek between Interstate 69 and Washington Center Road. The pond improvements will consist of constructing an 8' wide berm at elevation 799.5 around the west side of the pond and the installation of an 18" outlet pipe. Details of the project are contained in information received electronically at the Division of Water on August 15, 2005.

Location : The site is located on the east side of Spy Run Creek between Interstate 69 and Washington Center Road
at Fort Wayne, Washington Township, Allen County
Section 22, T 31N, R 12E, Huntertown Quadrangle
Quad Code: 4108522

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23492

Lake : Koontz Lake

Applicant : Indiana Department of Natural Resources
Thomas Hohman
Room W299
402 West Washington Street
Indianapolis, IN 46204-2641

Description : An existing earthen dam will be modified to add a new principal spillway, discharge conduit, and emergency spillway. The principal spillway will consist of a 10' x 10' concrete drop structure fitted with a trash rack. The principal spillway will be connected to a 9' x 6' (internal dimensions) concrete discharge conduit that is 193.25' long with concrete antiseep collars at 20' spacing. The structure is designed to maintain a normal pool elevation of 661.45', NGVD. A vegetated emergency spillway will be constructed in the right abutment. It will have a 20' bottom width, 3:1 sideslopes, and a control elevation of 666.00', NGVD. Other structural features include a drawdown valve in an attached valve structure. Details of the project are contained in information received electronically at the Division of Water on August 16, 2005.

Location : The project is located at Grouse Ridge State Fish & Wildlife Area
near Ogilville, Ohio Township, Bartholomew County
Section 23, T 8N, R 4E, Waymansville Quadrangle
Quad Code: 3908611

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23493

Stream : White River

Applicant : Anderson Board of Aviation Commissioners
Steve W Darlington
Anderson Municipal Airport
282 Airport Road
Anderson, IN 46017-9550

Description : A 10-foot chain link fence extended with a 1-foot, 3-strand barb arm on top will be installed surrounding the entire Anderson Municipal Airport property. The fence will be supported by 3-inch diameter steel tubular posts spaced 10 feet apart. Along the outside of the fence a chain link fence fabric apron will be either buried at a 45 degree angle or laid on the ground and covered with rip rap. Fence construction plans, details and specifications are available. Double terminal posts will be positioned at intervals to completely separate the fence fabric into independent and separate lengths of 600 feet or less. The fence fabric will be connected to the posts with lower tensile strength wire ties everywhere except the bottom ties to allow for the fence to lay down under the pressure of water and debris. The fence is required for wildlife control and security in accordance with the United State Department of Agriculture, Federal Aviation Administration and Homeland Security Agency. Details of the project are contained in information received electronically at the Division of Water on August 16, 2005.

Location : East bank of White River in Madison County, Indiana, directly south of State Road 32. The portion of the fence thst enters the White River floodplain begins at 40 degrees 06 minutes 48.84 seconds north latitude and 85 degrees 37 minutes 33.94 seconds west longitude and continues to 40 degrees 06 minutes 29.08 seconds north latitude and 85 degrees 37 minutes 32.99 seconds west longitude before turning easterly out of the floodplain.
Near Anderson, Union Township, Madison County
Section 9, T 19N, R 8E, Anderson South Quadrangle
Quad Code: 4008516

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23496

Stream : White Lick Creek

Applicant : City of Plainfield
Timothy Belcher
208 West Main Street
Plainfield, IN 46168-1134

Description : Install approximately 13,190 cubic yards (approximately 19,786 tons) along 13,190 feet of stream bank below the OHWM. The rock will not extend more than two feet into the existing channel. The rock will then be capped with a series of vegetated lifts or geogrids consisting of compacted soil wrapped in biodegradable fabric. Each lift or layer will have bare root shrubs on two-foot centers and be seeded with a native plant mix. 480 feet of the rock toe stabilization will be encased in green gabion baskets along the toe-of-slope. Grade stabilization will be performed by constructing rock weirs at the current bottom elevation of the stream to prevent further headcutting. An open cut trench will be excavated across the entire width of the stream at four locations. The trench will be backfilled with pit run rock having a D50 of 24-inches or greater. The excavated material will be hauled off site or used as fill within the geogrids. Each of the four grade stabilization structures will involve the excavation and placement of approximately 600 cubic yards of stream substrate and rock. Details of the project are contained in information received electronically at the Division of Water on August 18, 2005.

Location : Project begins at 600 South road 1-mile west of SR 267 and ends at 300 South Road 1-mile west of SR 267
At Plainfield, Washington Township, Hendricks County
Plainfield Quadrangle
Quad Code: 3908664

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20185

Lake : Crooked Lake

Applicant : Tom C Barkley
660 Lane 274 Crooked Lake
Angola, In 46703-7116

Description : A 50' x 12' underwater beach will be constructed across 50' of the applicant's 105' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information received electronically at the Division of Water on July 6, 2005.

Location : 660 Lane 274 Crooked Lake
near Angola, Pleasant Township, Steuben County
NE¼, NE¼, SE¼, Section 7, T 37N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4516150 North, 660575 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20213

Lake : Irish Lake

Applicant : Robert Prado
209 EMS B40A Lane
Leesburg, IN 46538-9431

Description : A new 22' concrete seawall will be constructed to stop shoreline erosion. The seawall will adjoin the neighbor's seawall on the west side. Details of the project are contained in information and plans received at the Division of Water on August 5, 2005 and August 11, 2005.

Location : 209 EMS B40A Lane
near Leesburg, Tippecanoe Township, Kosciusko County
NE¼, NW¼, SE¼, Section 20, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4572519 North, 605897 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20219

Lake : Lake Manitou

Applicant : Max and Jane Borden
2609 Park Place
Rochester, IN 46975-7099

Description : A new concrete seawall will be constructed across 50' of the applicant's 50' frontage. The seawall will be constructed in conjunction with the neighbor's to the north and south for a total of 150'. Details of the project are contained in information and plans received at the Division of Water on August 9, 2005.

Location : 2609 Park Place; Lot #2 Sportsman Park
near Rochester, Rochester Township, Fulton County
SW¼, NE¼, SW¼, Section 15, T 30N, R 3E, Rochester Quadrangle
Quad Code: 4108612
UTM Coordinates: Downstream 4543883 North, 568789 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20220

Lake : Lake Manitou

Applicant : Kevin and Abby Renie
2310 Wolf Point Drive
Rochester, IN 46975-7695

Description : A new concrete seawall will be constructed across 50' of the applicant's 50' frontage. The new seawall will be constructed in conjunction with the two neighbor's immediately to the south for a total of 150'. Details of the project are contained in information and plans received at the Division of Water on August 9, 2005.

Location : 2310 Wolf Point Drive; Lot #1 Sportsman Park Addition
near Rochester, Rochester Township, Fulton County
NE¼, SW¼, NW¼, Section 15, T 30N, R 3E, Rochester Quadrangle
Quad Code: 4108612
UTM Coordinates: Downstream 4543925 North, 568796 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20221

Lake : Lake Manitou

Applicant : Harry and Natalie Gehrich
2909 Barrett Road
Rochester, IN 46975-8949

Description : A new concrete seawall will be constructed across 50' of the applicant's 50' frontage. The proposed seawall will be constructed in conjunction with the two homeowner's immediately to the north for a total of 150'. Details of the project are contained in information and plans received at the Division of Water on August 9, 2005.

Location : 2909 Barrett Road; Lot# 3 Sportsman Park Addition
near Rochester, Rochester Township, Fulton County
SW $\frac{1}{4}$, NE $\frac{1}{4}$, SW $\frac{1}{4}$, Section 15, T 30N, R 3E, Rochester Quadrangle
Quad Code: 4108612
UTM Coordinates: Downstream 4543839 North, 568790 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20222

Lake : Lake James

Applicant : Lisa Owens
1938 North 100 East
Bluffton, IN 46714-9702

Description : A new steel sheet piling seawall will be constructed across the applicant's 116' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on August 9, 2005.

Location : 1630 West 275 North, Venice Estates
near Angola, Pleasant Township, Steuben County
Section 10, T 37N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4616070 North, 664855 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20223

Lake : Lawrence Lake

Applicant : Paul Rowe
12220 Olive Trail
Plymouth, IN 46563-9385

Description : A 60' x 40' underwater beach will be constructed across the applicant's 470' frontage by placing a uniform 4" to 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on August 9, 2005.

Location : 12220 Olive Trail
near Plymouth, Center Township, Marshall County
Section 19, T 33N, R 2E, Plymouth Quadrangle
Quad Code: 4108633
UTM Coordinates: Downstream 4571895 North, 555360 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20224

Lake : Skinner Lake

Applicant : Bruce Terry
2762 East Skinner Lake
Albion, IN 46701-9740

Description : A concrete seawall will be refaced with a layer of concrete across the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on August 16, 2005.

Location : 2762 East Skinner Lake; Lot 12, Weimers Landing
near Albion, Jefferson Township, Noble County
SE¼, SW¼, NE¼, Section 16, T 34N, R 10E, Kendallville Quadrangle
Quad Code: 4108543
UTM Coordinates: Downstream 4584630 North, 636075 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20225

Lake : Waldron Lake

Applicant : Harmon and Jennifer Hensley
246 West Waldron Lake Drive
Wawaka, IN 46794-9618

Description : An existing concrete seawall will be refaced with a layer of concrete across approximately 155' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. In addition, a concrete seawall will be constructed across 30' of the applicant's frontage. Details of the project are contained in information and plans received at the Division of Water on August 16, 2005.

Location : 246 West Waldron Lake Drive; Lot 13 of South Point Addition
near Rome City, Elkhart Township, Noble County
NE¼, SE¼, NE¼, Section 13, T 35N, R 9E, Albion Quadrangle
Quad Code: 4108544
UTM Coordinates: Downstream 4594292 North, 631179 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20226

Lake : Kuhn Lake

Applicant : *Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street
IGC-South, Room W273
Indianapolis, IN 46204-2781

Description : The existing, deteriorated concrete boat ramp will be replaced with a 15' wide and 60' long concrete boat ramp across the 15' of the applicant's frontage. The ramp will extend approximately 40' lakeward of the lake's legal shoreline. A 10' x 10' gravel mooring area will be constructed immediately west of the new ramp. Also, a 12' long steel seawall will be constructed approximately 5' east of the new ramp. In addition, 5' of glacial stone will be placed between the new ramp and seawall and along approximately 10' of the eastern end of the seawall. Details of the project are contained in information and plans received at the Division of Water on August 16, 2005.

Location : At the Kuhn Lake Public Access Site
near North Webster, Tippecanoe Township, Kosciusko County
NW¼, Section 26, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4571503 North, 609764 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20227

Lake : Webster Lake

Applicant : Gregory A Smith
PO Box 76
28 EMS W15 Lane
North Webster, IN 46538-0076

Description : An existing 200' by 400' channel will be dredged. Approximately 300' of accumulated muck and debris will be removed from the channel bed by dredging to a maximum depth of 10' below the lake's legal level at the center of the channel and sloping uniformly to a depth of 3' at the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Water from the containment area will be allowed to return to the lake. Details of the project are contained in information and plans received at the Division of Water on August 16, 2005.

Location : Across the entire frontage of Smith Resort Mobile Home Park
near North Webster, Tippecanoe Township, Kosciusko County
SW¼, SE¼, NW¼, Section 12, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4576213 North, 611598 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20228

Lake : Koontz Lake

Applicant : Virginia West
112 South Dearpath Drive
Vernon Hills, IL 60061-2403

Description : A new vinyl seawall will be constructed across 51' of applicants frontage on Koontz Lake. The seawall will be constructed using Northstar vinyl sheetpiling achored to deadmen 12' into the property from the shoreline. The wall will have a maximum thickness of 6". Plans and photos will be included. Details of the project are contained in information received electronically at the Division of Water on August 18, 2005.

Location : 7757 Scanlon Drive

at Walkerton, Oregon Township, Starke County
Section 12, T 34N, R 1E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11